What to Do When Your Child Has a Toothache: A Step-by-Step Guide for Winnipeg Parents

Stay Calm and Assess the Situation

A child's toothache can be distressing for both the little one and the parent. The first thing to do is stay calm. Children pick up on adult anxiety, so a composed response helps them feel safe. Ask your child to point to the spot that hurts, and gently look in their mouth with a flashlight. Note whether the tooth is loose, cracked, or visibly decayed. Check the surrounding gums for redness, swelling, or a pimple-like bump. This initial assessment will guide your next steps.

Rinse and Relieve Discomfort

Have your child rinse their mouth with warm salt water (a half-teaspoon of salt in a cup of warm water). This can soothe irritated gums and help clear any food debris lodged around the sore area. If the pain is from teething or a newly erupting tooth, a clean, cold cloth or a chilled (not frozen) teething ring can provide gentle relief. For an older child with a permanent tooth, a cold compress applied to the outside of the cheek can reduce swelling. Avoid placing aspirin or any painkiller directly on the gum or tooth, as it can burn the tissue.

Examine for Common Causes of Tooth Pain in Children

Toothaches in kids often come from a few common sources. A new cavity may be forming, allowing bacteria to irritate the nerve inside the tooth. Sometimes a filling has fallen out or become loose. Other times, the pain is from a cracked or fractured tooth after a fall or while playing. Children can also develop an abscess at the root of a tooth, which appears as a pimple on the gum. If your child is very young, the discomfort may be from primary teeth erupting through the gums, a process called teething. In older children, the molars (the large back teeth) may be causing pain as they come in. Knowing what you are dealing with helps you decide whether a home care step is enough or if you need a professional evaluation.

When to Call a Pediatric Dentist in Winnipeg

If the pain persists, is severe, or is accompanied by swelling, fever, or difficulty eating, it is time to see a professional. A pediatric dentist in Winnipeg can examine the child, take X-rays if needed, and determine the cause of the pain. Common treatments for children include filling a cavity, placing a dental sealant to protect a vulnerable tooth from future decay, or applying a fluoride treatment to strengthen enamel. If the decay is deep, a pulpotomy (removing the infected part of the nerve) might be needed, especially for primary teeth. In cases of infection, antibiotics may be prescribed. For anxious children, many pediatric dentists offer nitrous oxide

sedation to keep them comfortable during treatment. It is important not to wait: an untreated infection in a baby tooth can harm the developing permanent tooth underneath.

View the location on Google Maps

Winnipeg Dentist – Renew Dental is also on Instagram.

What to Do While Waiting for the Appointment

While you wait for the dental visit, continue the salt water rinses a few times a day. Offer soft, cool foods that do not require much chewing, such as yogurt, applesauce, or smoothies. Avoid sugary snacks and drinks, as they can worsen the pain. If the tooth is loose from an injury, ask your child not to wiggle it. Keep the child's head elevated during sleep to reduce throbbing. Over-the-counter pain relievers formulated for children can be given according to the package directions, but never exceed the recommended dose. If the pain becomes unbearable or the swelling spreads to the face, consider visiting an emergency room, as this may indicate a serious infection.

Preventing Future Toothaches: Daily Habits and Professional Care

Once the immediate pain is managed, focus on prevention. Establish a solid at-home routine: brush twice a day with a fluoride toothpaste, and floss once the child has teeth that touch. Supervise brushing until the child is about eight years old to ensure thorough cleaning. Limit sugary snacks and drinks between meals. Encourage your child to drink water, especially after eating. Regular check-ups every six months allow the dentist to catch small problems before they turn into toothaches. During these visits, the dentist may apply dental sealants to the chewing surfaces of the back teeth, which can prevent cavities in the hard-to-clean grooves. Fluoride treatments at the office also help remineralize enamel and make teeth more resistant to decay. These preventive steps are part of what we call dental support for growing smiles: a combination of good home care and professional oversight that keeps your child's teeth healthy as they grow.

Handling Dental Anxiety in Children

Many children feel nervous about dental visits, especially if they have already experienced a painful toothache. To help, talk about the visit in a positive, matter-of-fact way. Read a children's book about going to the dentist or play a pretend game with a toothbrush and a stuffed animal. On the day of the appointment, keep your own demeanor calm. Let the dentist and their team guide the interaction. Practices that cater to children often have a kid-friendly environment, with toys, games, and a gentle approach. Some offer nitrous oxide or other

comfort measures. The goal is to build trust so that the child sees dental care as a normal, non-scary part of life. Over time, this reduces anxiety and makes future visits easier.

The Role of Primary Teeth in Long-Term Oral Health

Some parents wonder if a baby tooth is worth treating, since it will eventually fall out. The answer is yes. Primary teeth hold space for the permanent teeth that will come in later. If a primary tooth is lost too early due to decay, the neighboring teeth can shift into the gap, causing crowding or misalignment of the permanent teeth. Healthy primary teeth also help with proper chewing and speech development. They allow the child to eat a varied diet and to pronounce sounds correctly. For these reasons, caring for primary teeth is essential. A pediatric dentist can guide you on when to expect permanent teeth to erupt, and how to handle the transition. Thumb sucking beyond a certain age can also affect the alignment of teeth; the dentist can offer strategies to help your child stop the habit gently.

Recognizing When a Toothache Is an Emergency

Not every toothache requires a trip to the emergency room, but some situations do. If the pain is so severe that your child cannot sleep or eat, or if the swelling has spread to the eye or neck, seek immediate medical care. A fever over 101 degrees Fahrenheit (38.3 Celsius) combined with a toothache can indicate a spreading infection. Similarly, if a tooth has been knocked out completely, or if there is heavy bleeding from the mouth, go to the ER or call your dentist for an emergency appointment. Many dental offices, including those in Winnipeg that offer same-day emergency care, can accommodate urgent cases. Having a plan in place for dental emergencies can reduce panic when one occurs.

Building a Partnership with Your Pediatric Dentist

Your relationship with your child's dentist is a partnership. During regular visits, ask questions about brushing technique, diet, and any habits your child has. Share any concerns you have about thumb sucking, teeth grinding, or late tooth eruption. The dentist can provide personalized advice and may recommend treatments like dental sealants or fluoride varnish. This proactive approach, combined with your at-home efforts, forms the foundation of dental support for growing smiles. It ensures that your child's teeth develop properly and that small issues are addressed before they become painful problems.

For families in Winnipeg looking for a trusted dental home, consider visiting Winnipeg Dentist, Renew Dental at 405 Centre St Unit 1, Winnipeg, MB R3Y 2C7, Canada, and calling +1 204-817-6768 to learn more about their pediatric services and emergency care options.