

Buying a used 16 ft garage door can lower the upfront price of a garage door project, but the purchase only works well if the door matches your opening and does not require extensive garage door repair. In Los Angeles, used doors are available through salvage dealers, remodeling resale outlets, contractors, and private sellers. The condition of the panels, garage door tracks, springs, rollers, cables, and opener can substantially change the final cost.

A complete evaluation should include precise garage door measurements, a safety inspection, transportation, garage door installation, and possible repairs. This guide explains how to assess a used garage door for sale with garage door replacement, project garage door repair pricing, and hire a qualified local garage door company in Los Angeles.

Where to Find a Used 16 Ft Garage Door Available for Purchase in Los Angeles

A used 16 ft garage door may be listed by salvage building materials suppliers, demolition companies, garage door installers, building reuse centers, and homeowners replacing an older door. Search terms such as “used 16 ft garage door,” “used garage door for sale,” and “16-foot garage door” can help identify listings in Los Angeles, Pasadena, Burbank, Glendale, and the San Fernando Valley.

Salvage building materials stores may offer an overhead garage door removed during a renovation. These suppliers sometimes provide dimensions and photographs, but you should still inspect the door in person. Ask whether the door was removed while operational, whether all hardware is included, and whether the seller knows the original manufacturer and model.

Private listings can be less expensive, but they often sell only the door sections. Springs, garage door tracks, brackets, garage door rollers, garage door cables, hinges, and an opener may be missing or unusable. Transportation is another consideration because a 16 ft door requires ample loading space and careful handling to avoid bending the panels.

Los Angeles homes commonly include detached garages, narrow driveways, and older housing stock. These conditions make access, opening dimensions, track alignment, and headroom especially important before finalizing a purchase. A local technician can inspect the door before you pay and point out missing or unsafe components.

Is a Used 16 Ft Garage Door Remain Suitable for Your Garage?

A 16 ft garage door is often used for a wide two-car garage, but width alone does not confirm compatibility. The door must fit the door opening, panel height, track configuration, spring system, and available space above and beside the opening. A door that is only slightly different in size may require structural modifications or new garage door tracks.

Compare the seller’s exact garage door dimensions with your own measurements. Confirm the door width, total height, number of panels, panel thickness, track radius, and location of the spring system. A replacement door may technically fit the opening but still be unsuitable if the existing tracks or framing are not compatible.

Measure the Opening, Panels, Tracks, and Headroom

Measure the door opening from the finished floor to the top of the opening and from one side jamb to the other. Measure the width and height of every garage door panel, not just the overall exterior dimensions. The door opening should be square, with both side jambs plumb and the header even.

Record the distance from each side of the opening to the nearest wall or obstruction. Measure the vertical track, horizontal track, and the space behind the tracks. Also check the headroom clearance between the top of the opening and the ceiling or lowest obstruction. Standard lift systems require enough room for the rollers, horizontal tracks, springs, and opener rail.

Older Los Angeles garages may have unusual framing, low ceilings, or limited side clearance. A high-lift, low-headroom, or rear-torsion configuration may be required in some spaces. <https://emgaragedoorsandgateservice.com/services/garage-door-spring-replacement-los-angeles.html> Do not assume that the garage door tracks included with a used door can be installed again safely in a different garage.

Check Material, Insulation, Condition, and Hardware

Inspect each garage door panel for cracks, bends, delamination, rust, broken hinges, and loose fasteners. A steel garage door is generally durable, but dented sections can bind in the tracks. Wood doors may show swelling, rot, or failed joints. Check whether the panels are an insulated garage door design and whether the insulation remains secure and dry.

Garage door insulation can enhance comfort in an attached garage and decrease heat transfer into nearby rooms. Compare the insulation thickness and construction with your current door. An insulated steel door may weigh considerably more than a basic uninsulated door, which influences spring sizing and opener requirements.

Examine all garage door hardware, including hinges, brackets, rollers, lift cables, drums, springs, and fasteners. Remove and replace brittle or damaged weather seal and inspect the bottom seal for gaps. Weather stripping around the perimeter should meet the floor and jambs without causing too much friction.

Los Angeles County's mild, generally dry climate can limit weather-related wear, but coastal areas such as Santa Monica and Long Beach may expose hardware to salt air and corrosion. Surface rust may be repairable, while deeply pitted springs, cables, and brackets should normally be replaced.

Typical Garage Door Repair Concerns Involving Used Doors

Used doors frequently need garage door repair prior to entering service. Frequent concerns are a broken garage door spring, damaged garage door panel, worn rollers, frayed cables, loose hinges, and a misaligned garage door track. A door that makes noise or feels unusually heavy should not be operated until the cause is found.

Never undertake removal or adjustment of a loaded spring without proper tools and training. Springs store considerable energy, and an incorrect adjustment can cause serious injury. A professional garage door service technician can test the balance, inspect the lift system, and recommend safe repairs.

EM Garage Doors And Gate Service Inc

19629 Cantara St, Reseda, CA 91335

(818) 919-0785

<https://emgaragedoorsandgateservice.com/>

<https://maps.app.goo.gl/XujLWxA4pAQKARQT8>

34.2193569, -118.5613022

Garage Door Spring Replacement Near Me

People searching for “garage door spring replacement near me” should review service providers based on licensing, insurance, response time, and the details included in the estimate. A broken garage door spring may leave the door too heavy for the opener to lift. Continuing to operate it can harm the opener, cables, or panels.

A torsion spring is mounted above the door and uses a shaft and drums to lift the sections. An extension spring is installed along the horizontal tracks and stretches as the door moves. These systems are not interchangeable without the correct conversion hardware and calculations. Spring size must match the actual door weight, height, lift type, and cable drums.

Garage door spring cost varies with the spring type, door weight, number of springs, labor, and service timing. Torsion spring replacement and torsion spring replacement on a wide, heavy door may cost more than a simple single-spring service. Ask whether the quoted garage door spring cost includes both springs when a matched pair is recommended, adjustment, safety testing, and disposal.

When a Garage Door Panel or Track Can Be Repaired

A garage door panel may be repaired when the damage is limited to a small dent, loose hinge, or replaceable reinforcement. A severely bent section, cracked frame, water damage, or damage affecting several panels may require garage door panel replacement. Matching an older panel can be difficult, particularly if the manufacturer has discontinued the design.

Garage door track repair may be suitable when a track is slightly loose, bent in one area, or out of alignment. The technician may secure the mounting brackets, correct spacing, and change damaged fasteners. A heavily twisted or rusted track should be changed rather than pushed back into place.

Garage door rollers and garage door cables are often-needed replacement items. Nylon or steel rollers can become worn and cause rattling or vibration. Cables may become worn near the drums or bottom brackets. Because cable failure can make the door unstable, replacement should be completed as part of a proper garage door repair rather than regarded as a cosmetic fix.

Garage door repair Rates and Pricing in Los Angeles

Garage door repair pricing in Los Angeles is influenced by the door’s size, age, weight, accessibility, parts, labor, and urgency. A used 16 ft door may seem affordable, but the complete job can increase after adding transportation, installation, spring work, track adjustments, new rollers, weather seal, and an opener.

Ask for a written repair estimate that breaks down the service call fee, labor, replacement parts, taxes, disposal, and any emergency surcharge. This makes it easier to review pricing from providers in Los Angeles, Pasadena, Burbank, Glendale, and the San Fernando Valley. Travel distance and after-hours scheduling can affect the service call fee.

How Much Does Garage Door Repair Cost?

The answer to “how much does garage door repair cost” depends on the specific failure. Minor adjustments, lubrication, weather seal replacement, or a single roller may be lower-cost services. Spring replacement, multiple rollers, cables, track work, or a damaged panel can cost substantially more. A 16 ft door may require heavier-duty parts and additional labor than a single-car door.

Labor cost usually covers the technician’s time, diagnostic inspection, installation, adjustment, and testing. Replacement parts may include springs, cables, rollers, hinges, brackets, tracks, panels, or safety sensors.

Emergency garage door repair outside regular hours generally costs more because of immediate service needs and limited scheduling availability.

Confirm whether the estimate includes balancing the door and testing the automatic reverse function. A repair is incomplete if the door operates but remains unsafe, excessively heavy, or poorly balanced. The final price should also state whether the technician recommends replacing both components in a matched system.

Used Door Price Compared With Garage Door Replacement Cost

Compare the purchase price of the used door with the complete garage door replacement cost, not just the seller's asking price. The complete cost may include delivery, removal of the existing door, new tracks, spring system, hardware, opener adjustments, installation cost, and disposal.

The 2 car garage door replacement expense varies by door material, thermal insulation, appearance, manufacturer, and fitting requirements. The phrase "two car garage door replacement cost" usually describes a broad door covering two parking spaces, often around 16 ft wide, but the final cost is influenced by the property and chosen components.

A used door can be financially sensible when the panels are in good condition and compatible hardware is included. Replacement is often preferable when the used door needs several panels, a complete spring system, new garage door tracks, substantial weather sealing, and structural work. Request a new-door quote for comparison before deciding.

Garage Door Opener Installation and Compatibility

A used door may not include a working garage door opener. Before installing an existing unit, confirm that its lifting capacity, rail length, travel settings, safety sensors, and mounting arrangement fit the wider door. An opener should not be used to compensate for a poorly balanced door.

Garage door opener installation cost depends on the opener type, ceiling height, electrical access, reinforcement, removal of the old unit, and programming. A belt-drive opener generally operates more quietly, which may help an attached garage. A chain-drive opener is often durable and practical, but it may produce more vibration and sound.

Ask the installer to test force settings, photo-eye sensors, manual release operation, and automatic reversal. Garage door opener repair may be needed if the existing motor performs poorly, the rail is bent, or the safety system is obsolete. The opener should be selected after the door's weight and balance have been confirmed.

Should You Repair, Reuse, or Replace a Used 16 Ft Door?

The repair-versus-replace decision should consider safety, remaining service life, appearance, insulation, and total cost. Reuse may be appropriate when the door is structurally sound, fits without major modifications, and needs only routine garage door maintenance or minor parts.

Garage door replacement is usually more practical when multiple panels are damaged, the door is heavily corroded, hardware is missing, or repair costs near the price of a new system. A new insulated door may improve energy efficiency, reduce noise, and include compatible tracks, springs, rollers, seals, and manufacturer support.

Have a safety inspection before operating a used door. The technician should check the balance, cables, springs, brackets, tracks, rollers, hinges, opener, safety sensors, and emergency release. Also consider local permit

requirements if the project modifies the opening, framing, structural supports, electrical system, or exterior configuration.

How to Hire Garage door repair Near Me in Los Angeles

When searching for garage door repair near me, review local providers that commonly repair wide residential doors. Look for a licensed contractor with adequate insurance, clear contact information, and experience with used overhead garage door systems. A local garage door company serving Los Angeles, Pasadena, Burbank, Glendale, or the San Fernando Valley may provide more prompt service and better travel-based pricing.

Request a written estimate before work begins. It should explain the problem, recommended repair, parts, labor, service call fee, taxes, emergency charges, and warranty terms. Avoid accepting a major repair based only on a phone diagnosis or a general verbal price.

Ask whether the company provides a workmanship warranty and whether replacement parts carry separate coverage. Confirm that the technician will perform a final safety inspection and explain any future garage door maintenance. For urgent failures, verify the emergency repair service price before dispatch.

Questions to Ask Before Buying or Installing a Used Door

- What are the exact door width and height, panel dimensions, track style, and spring configuration?
- Are the garage door tracks, rollers, cables, hinges, brackets, and weather seal included?
- Was the door operating when removed, and are there photographs or service records?
- Does the installer provide an installation warranty?
- Which parts have a parts warranty, and who handles future claims?
- Can the seller provide proof of ownership and confirm that the door is not subject to a dispute?
- Will the proposed installation meet local building requirements and permit requirements?
- Does the work change the opening, header, framing, electrical wiring, or supporting structure?

For structural changes, a new opening, or other installation work, consult Los Angeles Department of Building and Safety guidance and verify requirements for your specific property. Permit requirements can change based on the scope of work, location, and existing construction.

Frequently Asked Questions

Where can I find a used 16 ft garage door for sale in Los Angeles?

Check salvage building materials suppliers, architectural reuse stores, demolition contractors, remodeling resale outlets, local installers, and private listings in Los Angeles. Examine the door before purchase and verify the exact dimensions, included hardware, condition, and transportation requirements. A local technician can also help assess whether the door is suitable for your garage.

How much does garage door repair cost for a used 16 ft overhead garage door?

The garage door repair cost depends on whether the door needs springs, cables, rollers, tracks, panels, weather seal, or opener work. A wide door may require heavier-duty parts and more labor. Request a written estimate that separates labor cost, replacement parts, the service call fee, and any emergency garage door repair charge.



What is the average garage door spring cost in Los Angeles?

Garage door spring cost is influenced by the door's weight, spring type, number of springs, labor, and scheduling. A torsion spring system and an extension spring system require different parts and procedures. Check if the price includes installation, balancing, safety testing, and replacement of both springs when a matched pair is recommended.

Is repairing a used garage door cheaper than the 2 car garage door replacement cost?

Repairing a used door can be cheaper if the panels and frame are sound and only a few parts need attention. However, the total can approach or exceed the two car garage door replacement cost when the door needs multiple panels, tracks, springs, cables, rollers, and installation. Compare a complete repair estimate with a new-door quote before deciding.

How do I know whether a used 16 ft garage door will fit my garage?

Check the door opening, door width and height, individual garage door panel dimensions, side clearance, vertical and horizontal tracks, ceiling height, and headroom clearance. Determine the lift type and spring configuration. Because older Los Angeles homes may have detached garages, narrow driveways, and unusual framing, have a professional verify the garage door measurements before purchase.