Business Name: Elite Sanitation Services
Address: Saucier, MS 39574
Phone: (228) 297-4850

Elite Sanitation Services

Since 2016, Elite Sanitation Services has been the premier provider for all your sanitation needs. We deliver comprehensive solutions. Our expert team ensures seamless service for events and construction sites, handling everything from septic system services to grease trap pump-outs and jetting services. We are dedicated to providing superior sanitation services with unmatched reliability and professionalism.

View on Google Maps
Saucier, MS 39574
Business Hours

- Monday through Sunday: Open 24 hours

Follow Us:

- Facebook: https://www.facebook.com/petrosepticinspections/

Explore this content with AI:

ChatGPT Perplexity Claude Google AI Mode Grok

Grease management is not attractive, however it might be the most essential back-of-house routine your kitchen area builds. When a dining-room is full and tickets are flying, the last thing you need is a sluggish sink, a sour odor drifting through the pass, or a health inspector requesting for maintenance logs you do not have. A well run grease trap program avoids stopped up lines, keeps you on the best side of local codes, minimizes emergencies, and saves cash you would otherwise spend on restorative plumbing.

I have opened restaurants the old fashioned method, with a taped layout and a head full of hope, and I have been in the mechanical space on a holiday weekend while a dish pit supported. The difference in between those two nights came down to a couple of practical choices made months earlier. This guide covers what I have actually seen work across quick-service counters, full service cooking areas, commissaries, and bakeshop plants: how grease traps function, how frequently they in fact require service, what an expert grease trap company does, and what your team can handle in house.

What a grease trap truly does

Kitchen wastewater carries a mix of fats, oils, and grease, usually reduced to FOG. Warm water and detergents can keep FOG suspended for a brief time, but as the water cools, grease separates and floats. A grease trap or interceptor is a settling gadget in the drain line that slows the circulation, gives FOG time to increase, and catches it so cleaner water passes downstream. The objective is simple: keep FOG out of your drains pipes and the municipal sewer, where it triggers obstructions and fines.

Small indoor traps are frequently passive devices under a sink or flooring drain. Bigger outside interceptors can be 750, 1,000, or 1,500 gallons and sit between the structure and the community tie-in. Both have baffles that control flow and prevent grease from escaping downstream. When grease collects past a limit, efficiency drops

sharply. The trap begins pressing grease into your lines, and you get what every cooking area supervisor dreads: a backup at peak hour.

There is an easy guideline that most codes accept. When the combined grease and solids volume reaches 25 percent of the trap's working volume, it is time to pump and clean. I have seen cooking areas stretch past that mark believing they were saving money, then pay a several of the savings to a plumbing technician on a Saturday night.

Codes set the flooring, not the ceiling

Requirements differ by city and county, but the pattern is consistent. Regional pretreatment ordinances restrict releasing oil and grease above a set limitation, often 100 to 250 mg/L at the sampling point. They require installation of a correctly sized grease trap or interceptor and expect documents of routine maintenance. Some jurisdictions require manifest slips for each pump out, continued website for 2 to 3 years.

Do not rely just on a license strategy evaluate from years earlier. If you are altering menu volume, including a tilt skillet, or relocating to a commissary model, verify whether your present device still fits the load. Regulators appreciate your actual discharge, not what as soon as worked for a smaller line. I have actually had inspectors accept a 90 day frequency on paper, then request a 60 day schedule when a compliance sample returned oily after a seasonal menu added more fried items.

Two practical steps make examinations smoother. Initially, keep a binder or digital folder with your maintenance logs, waste manifests, and the trap's as-built or spec sheet. Second, mark the interceptor covers and ensure staff understand where they are. An inspector who can validate records and gain access to the device quickly is an inspector who moves on quickly.

Sizing and load: get this incorrect and you go after problems

The right size depends upon component flow rates and cooking load. A small bakery with a three-compartment sink and minimal fryers can manage with a compact under-sink system. A sit-down restaurant with a busy meal machine, prep sinks, and a fryer bank generally requires a bigger in-line trap or an outdoor interceptor. Commissaries and food halls that serve several principles almost always need a large outside unit.

Undersized traps fill too fast, so even with regular pumping they throw grease past the baffles. Oversized systems can go anaerobic and turn septic if you do not move enough water through them, specifically in seasonal operations. If you acquired a website and do not know the sizing, an excellent grease trap provider can measure dimensions, quote volume, and recommend based upon your ticket counts and devices list. That ten minute conversation frequently conserves months of frustration.

I like to determine anticipated packing in pounds per week utilizing purchase logs for oil and butter, then sanity check the number versus trap volume and turnover. If you are going through 200 pounds of frying oil per week and your under-sink system is 20 gallons, a regular monthly schedule is not realistic. You will be in there every 2 to 3 weeks or you will be dealing with callbacks and line clogs.

What an expert grease trap company in fact does

Good suppliers do more than vacuum a tank. They provide a complete grease trap service that restores capacity, files disposal, and helps you avoid repeat problems. Anticipate a correct pump out to include more than a quick skim.

Here is an easy step-by-step of an extensive service performed by a respectable grease trap company:

1. Locate and expose the trap or interceptor covers, aerate if essential, and confirm safe conditions for entry. Outside tanks are restricted areas, so experienced techs use gas screens and follow safety procedures.
2. Measure and record grease, water, and solids levels before pumping. This pre-pump reading is useful for tracking fill rates and adjusting frequency.
3. Pump out all contents, not just the grease cap, then scrape and wash down walls, baffles, and the cover to eliminate stuck product. Techs will likewise eliminate and clean removable tees and baskets.
4. Inspect the inlet and outlet baffles, gaskets, and structural integrity. Keep in mind fractures, missing out on tees, wore away hardware, or displaced baffles that can short-circuit flow.
5. Reassemble, refill the trap with clean water to restore the hydraulic seal, and provide a manifest that lists volumes, disposal site, and any repair recommendations.

If your supplier can not discuss their procedure or dislikes water fill up since it includes time, you will end up with odor grievances and poor separation. Water becomes part of the system. A trap returned to service empty ends up being a stink box.

How often should you pump and clean

The calendar response is easy to estimate and frequently wrong in practice. Many cooking areas succeed on a 30 to 60 day interval for small indoor traps, and 60 to 90 days for outdoor interceptors. Buffets, high fry volumes, and barbecue principles pattern shorter. Sushi and salad heavy menus trend longer. The trap does not care what a design template says, it cares just how much grease it receives.

Use the 25 percent guideline as a measuring stick for the first couple of cycles. Ask your grease trap company to tape pre-pump levels for the first 3 services. If you struck 25 percent before your scheduled date, shorten the interval. If you are regularly below 15 percent, you can likely extend by a couple of weeks. The best schedule spends for itself with less emergency situations and longer drain life.

Watch for seasonal swings. College town? Expect a peaceful summer season and a spike in September. Beach location? Inverse pattern. Catering services and food trucks that utilize a commissary cooking area will fill traps in bursts around occasion seasons. Develop the rhythm around the calendar you actually live.

The distinction in between traps and interceptors

People use the terms interchangeably, but the gadgets act differently. A compact in-line trap may have a working volume determined in 10s of gallons. It fills rapidly, is accessible, and can be cleaned without heavy equipment. An outdoor interceptor holds hundreds to countless gallons, captures a lot of load, and requires a pump truck to service.

I have seen staff attempt to fix a slow interceptor by excessive using emulsifying detergents upstream. It appears like a quick win because sinks start to stream. The grease is not gone. It moved deeper into the line and can set up downstream where it is far harder to reach. The best repair was an appropriate pump out and a frank discuss kitchen area practices.

Kitchen habits that make grease traps work better

The most inexpensive method to maintain a trap is to slow the amount of FOG you send out into it. A couple of front-line habits build up. Scrape plates and pans into the trash before cleaning. Usage sink strainers and empty

them frequently. Train personnel not to dump fryer oil into sinks, ever. Maintain your dishwasher and pre-rinse nozzles so you are not blasting grease deeper into the line. Keep a labeled drum or tote in the receiving location for utilized fryer oil and work with a recycler. Your grease trap company might even collaborate recycling and credit you a few cents per pound.

Avoid caustic drain openers and heavy emulsifiers as a routine crutch. They can heat up and liquefy grease short term, then let it re-solidify farther down. Enzyme and germs additives are struck or miss out on. In small traps with stable circulation they can help in reducing residue, but they are not a replacement for mechanical elimination. If you wish to attempt them, do it alongside measured pumping periods and check lead to your logs.

Simple front-of-house checks that avoid back-of-house headaches

A manager's walkthrough can identify little issues before they end up being service calls. You do not require to open covers or get dirty, simply keep your senses on.

- A new sour or rotten egg smell in the dish area often points to a dry trap, missing out on gasket, or lid not seated after a recent service.
- Slow drains at several fixtures hint at downstream buildup, not simply a local sink blockage. Call your vendor before a hectic weekend.
- Gurgling sounds when a dishwashing machine dumps might indicate the outlet tee is loose or missing. That can press grease downstream.
- Grease shine at a parking area cleanout shows the interceptor is past due or a baffle has actually failed.

Note patterns and pass them to your grease trap cleaning company with dates and times. Great notes shorten diagnostic time.

What a great maintenance log looks like

A paper log on a clipboard near the manager's workplace works fine, as long as it is utilized. A spreadsheet or app is even better if you run multiple places. Each entry must list the date, supplier, pre-pump grease portion if offered, volume eliminated for large interceptors, disposal manifest number, and any concerns discovered. I like a simple notes field to record what line cooks observed that week. That scrap of context typically explains why fill rate spiked, such as a catering push or a fryer leak.

When you bid out services, vendors who request for your previous 2 to 3 cycles of logs are most likely to set a truthful schedule. Suppliers who estimate a rock-bottom rate without seeing your operation typically make it up in trip adders and emergency fees.

Choosing the best grease trap company

Price matters, but a low sticker label can cost more in the long run if you see repeat blockages or bad paperwork. Look for a track record in your city, evidence of disposal at permitted centers, and technicians who understand both indoor traps and outside interceptors. Ask whether their grease trap service includes full pump out, baffle cleaning, water fill up, and a post-service checklist. Insurance and security certifications are nonnegotiable if they will service large outside tanks.



Ask about action times for emergency situations. A supplier with a night and weekend truck is worth a modest premium when you lose a Saturday to a backup. If your building has tight access, verify their tube length and whether they can service from the street without blocking your whole lot. City inspectors tend to know the dependable operators. Without naming names, I have actually had more constant experiences with companies that purchase tech training and route planning than with attires that treat grease trap cleaning as an afterthought to septic work.

Costs and what drives them

Expect little indoor trap cleanings to run in the series of 100 to 300 dollars per see depending on area, access, and frequency. Large outdoor interceptors differ commonly, generally 300 to 1,200 dollars per pump out, driven by tank size, volume got rid of, and tipping costs at the disposal facility. Travel distance, after-hours service, and hard gain access to can add surcharges.

If a quote appears too excellent, inspect what is consisted of. I once audited an area that paid for a low-cost skim service. The vendor eliminated the drifting grease layer however left the settled solids and did not clean baffles. The trap hit the 25 percent limit in two weeks anyway, and downstream lines kept plugging. The greater priced vendor who did a complete every six weeks in fact cost less over the quarter when you factored in avoided pipes calls.

Repairs and when to replace

Traps and interceptors are easy devices, but parts do use. Gaskets on indoor units dry and crack, causing odors. Baffle tees can remove and rattle loose. Outdoor concrete tanks can establish fractures, and steel covers wear away. An excellent technician will flag small concerns before they escalate. Replacing a gasket or a tee is a modest cost and a simple add-on to a scheduled service. Replacing a failed interceptor is a capital project with licenses and site work. Do not put off small repairs if you wish to avoid big ones.

I have actually likewise seen old traps installed backwards, with inlet and outlet reversed. Symptoms include turbulence, constant smells, and poor separation no matter how frequently you clean. A fast evaluation and re-

pipe solved what had appeared like a curse.

Special cases: food trucks, ghost cooking areas, and seasonal venues

Mobile units and ghost cooking areas toss curveballs. Food trucks often count on commissary kitchens for wastewater disposal. Make certain the commissary's trap can manage the bursts of flow when several trucks return simultaneously. Stagger dump times if required. Ghost cooking areas load multiple high-output menus into compact footprints, which can overwhelm a small shared trap. In those spaces, a greater service frequency and rigorous pre-scrape policies are the only method to stay ahead.

Seasonal locations, from ballparks to ski resorts, endure banquet and starvation. In the off season, traps can go septic if left idle. Set up a pump out before shutdown, refill with water, and plan an early season service before the first rush. A little dosage of authorized deodorizer after cleaning can help during long idle durations, but consult your supplier to avoid chemicals that harm downstream treatment plants.

Odor control without gimmicks

Most trap smells trace to one of 3 causes: a dry trap without a water seal, disintegrating solids since the pump-out period Jetting Services Elite Sanitation Services is too long, or a bad gasket. Repair the source first. Water refill after service is vital for indoor traps. On outside interceptors, ensure lids seat well and vents are clear. Triggered carbon filters on vents can help near patio areas, but they are a bandage. If you smell sulfur, look for a missing out on or split cleanout cap.

Avoid putting bleach into a trap. It will kill practical germs downstream and can develop hazardous gases in confined areas. If you should ventilate, use items developed for grease systems in modest amounts and as part of a schedule that moves material out regularly.

What happens to the grease after pump out

This is not simply trivia. Regulators ask, and your visitors care. Pumped product gets carried to permitted facilities. There, FOG is separated and can be processed into biofuel feedstock or utilized in anaerobic digestion to develop biogas. The remaining water is treated. Your manifest files that chain. Work with a vendor that handles waste responsibly and can discuss their disposal course. If a rate is significantly lower than competitors, stress over where the waste is going.

Recycled fryer oil is a various stream, usually collected in a devoted container, not from the trap. Keeping those streams separate is better for your wallet and the environment. Some recyclers offer rebates for clean yellow grease. Trap waste, packed with food solids and water, expenses cash to process.

Training the group without overcomplicating it

New hires ought to learn three basics on the first day. Scrape food into the garbage before the sink. Never pour fry oil down a drain. Report slow drains and odors to a manager right away. That is it. If you embed those practices and hang an easy indication near the meal pit, your grease trap will currently lead the average.

Managers should know the service schedule, where the trap or interceptor is located, and how to check out the last manifest. A five minute huddle before a busy season goes a long way. I like to set calendar reminders a week before each arranged service to verify access with the supplier, clear parked cars from interceptor covers, and prep personnel that a tech will be on site.

A quick supervisor's list for the week

- Look over the maintenance log and verify the next grease trap cleaning date is on the calendar.
- Walk the dish area and the interceptor covers outdoors, checking for new odors or standing water.
- Verify strainers are in place at sinks which staff are scraping plates before washing.
- Confirm the used oil container is not overflowing and covers are safe to hinder pests.
- If you had a menu shift or a huge catering push, flag it in the log so your grease trap company can change frequency if needed.

Keep it simple, keep it constant, and the system will treat you well.

Emergencies occur, here is how to restrict the damage

If you get a backup, separate the area, stop the dishwashing machine, and keep solids out of the flood. Do not begin disposing chemicals into the sink. Call your grease trap company and your plumbing technician. If you have an outdoor interceptor, clear access to the lids so a pump truck can reach them. Keep the health department number handy in case you require assistance on clean-up requirements for hygienic backflows.

After the immediate crisis, do a short postmortem. Examine the log for last service date, ask the vendor what they found, and change your schedule or habits. Emergency situations are costly instructors. Get every lesson they offer.

The bottom line

Grease control is part mechanical, part behavioral, and entirely workable with a clever routine. Select a qualified grease trap company that documents their work. Set a service interval based on your real load, not a guess. Keep basic logs and train the basics. Expect little indications and fix small problems before they grow out of control. Do those couple of things reliably and you will keep sinks streaming, inspectors pleased, and weekend service on track.

Nobody opens a dining establishment since they love baffles and manifests. Yet the places that last treat these details with regard. When the dish pit hums, the line sings, and you are not thinking of what occurs under the flooring, that is the quiet reward of a grease trap program that works.

Elite Sanitation Services performs septic pumping
Elite Sanitation Services performs jetting services for commercial and residential properties
Elite Sanitation Services handles grease trap pump outs
Elite Sanitation Services collects yellow grease
Elite Sanitation Services serves restaurants
Elite Sanitation Services supports events
Elite Sanitation Services assists construction sites
Elite Sanitation Services operates in Mississippi
Elite Sanitation Services operates in Louisiana
Elite Sanitation Services is locally owned
Elite Sanitation Services is locally operated
Elite Sanitation Services offers 24 7 availability
Elite Sanitation Services provides emergency support
Elite Sanitation Services delivers fast service
Elite Sanitation Services maintains large inventory

Elite Sanitation Services uses GPS tracking
Elite Sanitation Services offers disaster relief services
Elite Sanitation Services focuses on septic maintenance
Elite Sanitation Services has a phone number of (228) 297-4850
Elite Sanitation Services has an address of Saucier, MS 39574
Elite Sanitation Services has a website https://elitesanitationservices.com/
Elite Sanitation Services has Google Maps listing https://maps.app.goo.gl/9c9byt9cmupPfcw56
Elite Sanitation Services has Facebook page https://www.facebook.com/petrosepticinspections/

Elite Sanitation Services won Top Septic Pumping 2025
Elite Sanitation Services earned Best Grease Trap Pumping Award 2024
Elite Sanitation Services was awarded Best Jetting Services 2026

People Also Ask about Elite Sanitation Services

What services does Elite Sanitation Services provide?

Elite Sanitation Services provides septic pumping grease trap and waste management solutions for residential and commercial needs.

Where does Elite Sanitation Services operate?

Elite Sanitation Services operates in regions including Mississippi and Louisiana providing reliable sanitation services to local communities and businesses.

Does Elite Sanitation Services handle septic tank pumping?

Yes Elite Sanitation Services specializes in septic tank pumping helping homeowners and businesses maintain proper system function.

Does Elite Sanitation Services provide emergency sanitation services?

Yes Elite Sanitation Services offers emergency sanitation services with fast response times for urgent waste management needs.

What industries does Elite Sanitation Services serve?

Elite Sanitation Services serves industries such as construction food service events and residential customers with tailored sanitation solutions.

Does Elite Sanitation Services clean grease traps?

Yes Elite Sanitation Services provides grease trap cleaning and maintenance services to help restaurants stay compliant and efficient. Including jetting services.

Is Elite Sanitation Services locally owned?

Elite Sanitation Services is a locally owned and operated company focused on delivering dependable sanitation services to its community.

What are jetting services offered by Elite Sanitation Services?

Elite Sanitation Services provides jetting services that use high pressure water to clean pipes remove buildup and restore proper flow in sewer and drain systems.

When should I use Elite Sanitation Services for jetting services?

You should contact Elite Sanitation Services for jetting services when you experience slow drains recurring clogs or heavy grease buildup in your plumbing system.

Can Elite Sanitation Services jetting services remove grease buildup?

Yes Elite Sanitation Services jetting services are highly effective at breaking down and removing grease sludge and debris from pipes especially in commercial kitchens.

Are Elite Sanitation Services jetting services safe for pipes?

Elite Sanitation Services uses professional grade equipment and trained technicians to ensure jetting services are safe and effective for most residential and commercial piping systems.

Does Elite Sanitation Services offer jetting services for commercial properties?

Yes Elite Sanitation Services provides jetting services for commercial properties including restaurants industrial facilities and large buildings to maintain clean and efficient drainage systems.

Where is Elite Sanitation Services located?

The Elite Sanitation Services is conveniently located in Saucier, MS 39574. You can easily find directions on Google Maps or call at (228) 297-4850 Monday thru Sunday 24-hours a day

How can I contact Elite Sanitation Services?

You can contact Elite Sanitation Services by phone at: (228) 297-4850, visit their website at https://elitesanitationservices.com/ or connect on social media via Facebook

After dinner at Juan Tequila's in Saucier restaurant operators often depend on Septic Pumping Grease Trap Pumping Jetting Services to support smooth daily operations and busy events.