

A 16x7 garage door installed in Los Angeles commonly costs approximately **\$1,200 to \$4,500** for the door, installation, and basic hardware. Premium custom doors, extensive framing, insulation, windows, an opener, permits, or difficult removal can increase the total to **\$5,000 or more**.

The most useful way to evaluate an installed price is to separate the project into the door itself, garage door installation labor, old door removal, framing, hardware, an opener, springs, and possible permit costs. A simple replacement estimate may be much lower than a complete upgrade for a standard two-car garage.

Average Cost to Install a 16x7 Garage Door

A **16x7 garage door** is a common size for a typical two-car garage. The seven-foot height and 16-foot width generally offer enough clearance for two vehicles, although the exact opening, tracks, ceiling height, and framing should be checked before ordering.

For a conventional sectional garage door with standard hardware, homeowners may see these general planning ranges:

- **Basic door and installation:** approximately \$1,200 to \$2,500
- **Intermediate insulated door:** approximately \$2,000 to \$3,800
- **Custom door:** approximately \$3,500 to \$7,000 or more
- **Garage door installation labor:** often approximately \$400 to \$1,200, depending on complexity
- **Old door removal:** commonly an additional \$100 to \$300

These figures are general guidelines rather than a guaranteed quote. The final **garage door replacement cost** depends on the material, insulation, window design, hardware quality, disposal requirements, and condition of the existing opening. A two car garage door replacement cost can also be more expensive than replacing a single door because the door is larger and heavier, requiring stronger springs, tracks, and lifting equipment.

Installation labor should include careful removal of the existing door, installation of the new sections or panels, track and spring setup, adjustment, weather sealing, and a safety inspection. Ask whether the quote includes the bottom seal, weather seals, brackets, cables, rollers, and haul-away service.

What Affects 16x7 Garage Door Installation Rates?

The design of the **overhead garage door** is one of the biggest pricing factors. A standard raised-panel door with standard hardware typically costs less than a custom carriage-house design, full-view glass door, wood door, or heavily reinforced commercial-style system.

The **garage door material** affects purchase price, maintenance, weight, and resistance to Los Angeles weather. The level of **garage door insulation** also is important. An insulated garage can be cooler and more comfortable during hot inland summers and may help protect rooms located above or beside the garage.

Garage door repair pricing is a separate issue from installation pricing. If the current door can be safely repaired, replacing a spring, roller, cable, or panel may be more cost-effective. If the door has significant rust, repeated failures, or structural damage, a complete replacement may provide greater value over time.

Door Material, Insulation, and Window Options

A **steel garage door** is one of the most popular choices because steel construction offers durability, broad design options, and relatively simple maintenance. A single-layer steel door is usually the more affordable option. Double-layer and triple-layer designs add insulation and stiffness, but also increase the installed price.

An **aluminum garage door** can provide a updated appearance and may be useful for full-view designs. Aluminum is lighter than steel, but certain panels can dent more easily. Near the coast, homeowners should ask about protective finishes and hardware designed for moisture and salt exposure.

An **insulated garage door** is generally priced according to its construction and R-value. Higher insulation levels can minimize heat transfer through the door, which may be valuable in inland Los Angeles areas such as the San Fernando Valley, where garages can become very hot. Insulation can also make the door feel more solid and quieter in operation.

Garage door windows bring in daylight and exterior appeal, but they raise the price and can affect energy performance. Options include transparent, etched, colored, and ornamental glass. Discuss safety glass, window placement, privacy, and direct sun exposure before picking a design. West-facing doors in particular may experience intense afternoon heat.

Other components that impact cost include upgraded hinges, reinforced struts, corrosion-resistant springs, weather seals, a durable bottom seal, and architectural hardware. These details may not transform the door's appearance dramatically, but they can influence service life and operating noise.

Installation, Removal, Framing, and Permit Expenses

Garage door installation labor is more than connecting panels to an opening. The technician must verify that the opening is square, install or retain the garage door tracks, set the springs, connect the garage door cables, balance the door, and test the automatic reversal system.

Removal of the old door may cost more if the existing system has a broken spring, damaged sections, rusted fasteners, or a heavy wood construction. Disposal and recycling charges may also appear separately. Check that the estimate includes removal if you do not want to manage the old door yourself.

Garage opening framing can add substantial labor costs if the opening is out of square, the header is weak, side jambs are damaged, or the required dimensions do not match the replacement door. Framing is structural work and should not be treated as a minor adjustment. A contractor may need to examine the header, vertical jambs, ceiling supports, and attachment points before installation.

Los Angeles homeowners should verify permit and code requirements with the Los Angeles Department of Building and Safety. A routine door replacement may be treated differently from work that changes structural framing, electrical systems, or other building components. Ask about **LADBS permitting requirements** and whether an inspection is needed before work begins. Permit charges, plan review, and related work can be additional to the contractor's installation price.

16x7 Garage Door Replacement Cost vs. Repair

The best choice is determined by the condition of the door rather than its age alone. A **garage door repair cost** may be reasonably low when one component has failed. A total replacement is more appropriate when multiple sections, tracks, springs, or the opener are unsafe.

For example, replacing a damaged **garage door panel** may cost approximately \$300 to \$900 or more, depending on whether a matching section is still available. A custom or discontinued door may require replacing the entire system because a compatible panel cannot be obtained.

Typical repair planning ranges can include:

- Basic adjustment, lubrication, or track alignment: approximately \$100 to \$250
- Roller, hinge, or cable work: approximately \$150 to \$450
- One replacement panel: approximately \$300 to \$900 or more
- Spring service: approximately \$200 to \$500
- Extensive multi-component repairs: approximately \$500 to \$1,200 or more

Local garage door repair pricing is affected by urgency, access, parts availability, and whether the work is performed during emergency service hours. A repair quote should describe which components are failing and whether the repaired door will remain safe and stable.

EM Garage Doors And Gate Service Inc

19629 Cantara St, Reseda, CA 91335

(818) 919-0785

<https://emgaragedoorsandgateservice.com/>

<https://maps.app.goo.gl/XujLWxA4pAQKARQT8>

34.2193569, -118.5613022

When a Garage Door Panel or Hardware Can Be Repaired

A **garage door panel** may be repairable when the damage is limited to a small dent, a loose hinge, or a replaceable section. Cosmetic damage that does not affect the door's structure may not require replacement right away, although crushed or bent sections can interfere with proper operation.

A technician may also be able to repair or replace the **garage door track**, **garage door rollers**, and **garage door cable**. Track alignment can often be corrected when the track is not severely bent. Worn rollers may cause grinding, shaking, or a noisy garage door and are commonly replaced as a set.

Garage door cables carry considerable tension and should not be reattached carelessly. Frayed or loose cables need expert attention, particularly when they are connected to a torsion spring system. A repair should include a balance test, inspection of the brackets, and verification that the door reverses properly when the safety sensors are tested.

When Full Replacement Is the Best Option

Full replacement may be the better choice when the door has extensive **door section damage**, severe corrosion, repeated failures, or obsolete hardware. It may also make sense when repair costs approach a large portion of the **two car garage door replacement cost** for a new, warranted system.

Replacing an old **overhead garage door** can improve insulation, noise control, appearance, and reliability. It may also allow the homeowner to upgrade the tracks, rollers, weather seals, and safety features together rather than paying for separate repairs over time.

Safety should be the deciding factor if the door is sagging, falling, binding, or unable to remain open. Do not use an automatic opener to compensate for a door that is too heavy or out of balance. A professional safety inspection can determine whether repair is reasonable or whether replacement is the safer investment.

Garage Door Opener and Spring Costs for a 16x7 Door

A replacement door does not always include a new opener. If the current unit is suitable, quiet, properly sized, and in good condition, it may be reused. However, a large 16x7 door needs an opener with adequate **opener horsepower** and <https://emgaragedoorsandgateservice.com/> lifting capacity.

Garage door opener installation cost commonly falls around \$300 to \$800 for the opener and installation, although high-end units and difficult wiring can increase the total. A separate opener replacement may include rail installation, wall controls, photo-eye safety sensors, programming, and remote controls.

A **garage door spring cost** for a 16x7 door is often approximately \$200 to \$500 for professional service, depending on the spring system, door weight, access, and whether one or two springs are replaced. A larger door may require a heavier-duty **torsion spring** or a matched pair. Ask whether the quote includes adjustment, lubrication, cable inspection, and disposal of the old spring.

Homeowners searching for “garage door spring replacement near me” should compare safety practices rather than selecting only the lowest price. Springs are under high tension and can cause serious injury if handled without the correct tools and training.

Should You Replace the Opener During Installation?

Replacing the **garage door opener** during door installation may be sensible when the existing unit is aging, loud, unreliable, or not compatible with the new door’s weight. A **belt-drive opener** is generally selected for silent operation, while a **chain-drive opener** may offer a durable, economical option.

A **smart garage door opener** can provide app control, status alerts, shared access, and integration with some home automation systems. Confirm that the new unit includes properly functioning safety sensors and that the mounting location provides a reliable connection.

The opener should be inspected after the door is properly balanced manually. An opener is not designed to correct too much friction, improper track alignment, or an incorrectly installed torsion spring. Those issues should be resolved before the automatic system is put into regular service.

Los Angeles Factors That Can Affect the Final Price

The price of **Los Angeles garage door repair** and installation can vary across Los Angeles County. Quotes may vary between the San Fernando Valley, West Los Angeles, Pasadena, and the South Bay because travel time, traffic, the availability of technicians, and scheduling demand affect pricing.

Los Angeles also contains both interior and coastal environments. Salt air near Santa Monica, Venice, Long Beach, and Marina del Rey can heighten corrosion concerns for exposed hardware, springs, fasteners, and cables. Ask whether the recommended system includes zinc-coated or corrosion-resistant components and whether scheduled maintenance is recommended.

Inland garages may face intense heat and direct sun, particularly during summer. Discuss insulation, weather-sealing, heat exposure, and ventilation needs. Weather seals and a durable bottom seal can limit drafts, dust, insects, and water intrusion, but seals eventually wear out and need replacement.

Before work begins, confirm **LADBS permit requirements**, especially if the project includes garage door framing, structural changes, electrical work, or modifications to the building opening. The contractor should identify which work is included in the price and which permit or inspection charges are the homeowner’s responsibility.

How to Compare Garage Door Repair Quotes in Los Angeles

When looking for “garage door repair near me,” request a detailed **itemized estimate** rather than depending on a brief phone price. The quote should specify the door manufacturer or model, material, insulation level, R-value, windows, springs, tracks, rollers, cables, opener, removal, disposal, and labor.

Confirm whether the price includes garage door installation labor, taxes, delivery, old door removal, permit and code requirements, and final cleanup. If framing or electrical changes might be needed, obtain separate pricing for that work so the replacement estimate is not misleading.

Examine **the warranty terms** carefully. A parts warranty may cover sections, springs, rollers, or the opener but not include labor. A **service warranty** may cover installation defects for a separate period. Determine who handles warranty claims and whether coastal corrosion, accidental damage, or normal wear is excluded.

Professional quotes should describe the reason for each recommended repair and differentiate necessary safety work from optional upgrades. Compare the total installed price, the scope of work, service availability, and warranty rather than comparing one low headline number with a complete replacement package.

Indications You Need Garage door repair Over Replacement

Several issues show a repair may be appropriate:

- A loud garage door caused by worn rollers, loose hinges, or insufficient lubrication
- A broken garage door spring when the door sections are otherwise sound
- Irregular door movement caused by track alignment, rollers, or cable problems
- Garage door opener failure when the door itself is properly balanced and in good condition
- A small dent or limited garage door panel problem with readily available replacement parts

Stop operating the door if it is leaning, falling, visibly separated, or supported by a damaged cable. Do not remove a torsion spring or attempt to force the door open. Emergency service may be necessary if a vehicle is trapped, the door will not close securely, or the system creates an immediate safety hazard.

A professional inspection should check the door balance, springs, garage door tracks, garage door rollers, garage door cables, hinges, brackets, weather seals, opener, photo-eye sensors, and reverse function. If repairs are frequent or the structure is badly deteriorated, replacement may provide more dependable garage door safety.



Frequently Asked Questions

How much does it cost to install a 16x7 garage door in Los Angeles?

A 16x7 garage door installed in Los Angeles commonly costs approximately \$1,200 to \$4,500 for a standard to mid-level project. Premium materials, insulation, windows, framing, an opener, old door removal, permits, or difficult access can raise the total to \$5,000 or more. Request a written quote that itemizes the door, labor, hardware, removal, and optional upgrades.

Is a 16x7 garage door considered a two-car garage door?

Yes. A 16x7 garage door is generally considered a standard two-car garage door because its 16-foot width can accommodate two vehicles. The actual fit depends on the rough opening, side clearance, ceiling height, framing, and driveway layout, so the opening should be measured by a professional before ordering.

How much does garage door repair cost versus full replacement?

Garage door repair cost may vary from approximately \$100 for a simple adjustment to \$1,200 or more for several essential components. Full garage door replacement cost often starts at \$1,200 and may surpass \$5,000 for high-end systems. Repair is often practical for isolated hardware failures, while widespread damage, corrosion, or repeated breakdowns may warrant replacement.

What is the typical garage door spring cost for a 16x7 door?

The typical garage door spring cost for professional service on a 16x7 door is approximately \$200 to \$500. The price depends on whether the door uses one or two springs, the weight of the door, the torsion spring size, access, and whether cables and other hardware need an inspection or replacement.

How much does garage door opener installation cost?

Garage door opener installation cost is commonly approximately \$300 to \$800 for the opener and installation. Belt-drive, chain-drive, and smart garage door opener models have different price ranges. The final amount can rise for new wiring, difficult mounting, upgraded horsepower, extra remotes, or replacement of damaged tracks and brackets.